



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT9330107  
SITENAME Dune di Isca

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	<a href="#">Back to top</a>
B	IT9330107	

### 1.3 Site name

Dune di Isca
--------------

1.4 First Compilation date	1.5 Update date
1995-05	2022-12

### 1.6 Respondent:

Name/Organisation:	Regione Calabria - Dipartimento Ambiente e Territorio - Settore Parchi ed Aree Naturali Protette
Address:	Cittadella Regionale, Località Germaneto 88100 - Catanzaro
Email:	parchi.ambienteterritorio@regione.calabria.it

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2017-06
National legal reference of SAC designation:	DM 27/06/2017 - G.U. 166 del 18-07-2017

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude Latitude  
16.566111 38.601111

2.2 Area [ha]: 2.3 Marine area [%]

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITF6	Calabria

2.6 Biogeographical Region(s)

Mediterranean (100.0  
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1210 <i>B</i>			1.32		G	C	C	B	B
2110 <i>B</i>			1.31		G	C	C	B	B
2120 <i>B</i>			0.01		G	C	C	B	B
2210 <i>B</i>			1.55		G	C	C	B	B
2230 <i>B</i>			0.1		G	C	C	B	B
2240 <i>B</i>			1.03		G	C	C	B	B
3270 <i>B</i>			0.1		G	C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
R	1224	<a href="#">Caretta caretta</a>			r				P	DD	C	B	C	B
B	A138	<a href="#">Charadrius alexandrinus</a>			r				P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		<a href="#">Artemisia campestris L. subsp. variabilis (Ten) Greuter</a>						P				X		
P		<a href="#">Ephedra distachya L. subsp. distachya</a>						C			X			
R	5670	<a href="#">Hierophis viridiflavus</a>						C	X				X	
P		<a href="#">Medicago marina L.</a>						C			X			
P		<a href="#">Pancratium maritimum L.</a>						C			X			
R	1250	<a href="#">Podarcis siculus</a>						C	X				X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N04	58.32
N06	22.09
N15	10.98
N23	8.61
Total Habitat Cover	100

Other Site Characteristics

Il sito delimita un lembo residuo di spiaggia con dune costiere ben conservate, su cui si può ancora osservare la serie vegetazionale completa tipica delle coste sabbiose a partire dalle fitocenosi più pioniere delle dune embrionali, proseguendo con le comunità man mano più complesse delle dune interne, per finire agli habitat retrodunali. Le comunità più pioniere sono quelle intercotidali che si sviluppano sopra il livello dell'alta marea dove si verifica un accumulo di detriti, trasportati dalle correnti e dal moto ondoso, ricchi di semi vitali e in grado di rilasciare nella sabbia alcuni nutrienti. Si tratta di comunità con un basso numero di specie e copertura molto scarsa: Cakile maritima, Euphorbia peplis, Salsola kali sono alcune delle specie che caratterizzano queste comunità. Queste formazioni sono inquadrabili nell'associazione Salsolo-Cakiletum maritimae Costa & Manz. 1981 ascrivibile alla classe Cakiletea maritimae R. Tx. & Preising in R. Tx. 1950. Più internamente si rinvengono le dune primarie, il cui sviluppo è favorito da alcune graminacee perenni e stolonifere (in particolare Agropyron junceum), capaci di trattenere i granelli di sabbia spinti dal vento e di favorirne l'accumulo. Si originano così i primi bassi e discontinui cordoni dunali (dune primarie), a ridosso dei quali trova il suo optimum un'altra specie colonizzatrice e stabilizzatrice, Ammophila arenaria, che possiede la capacità di crescere, orizzontalmente e verticalmente, attraverso molti metri di sabbia. Tra i grossi cespi di questa graminacea si insediano altre specie (Medicago marina, Crucianella maritima, Silene nicaensis) che contribuiscono alla stabilizzazione della duna. Queste comunità sono inquadrabili nella classe Ammophiletea. Il consolidamento delle dune più vecchie (dune grigie) è favorito da

comunità di muschi e licheni, che tendono a formare un tappeto continuo. Su questi substrati si rinvencono nel sito le comunità caratterizzate dalla presenza di *Ephedra distachya*, descritte come *Helichryso italici-Ephedretum distachyae* Géhu et al. 1987 nell'ordine Crucianellales Italiae maritimae Sissingh 1974. Procedendo verso l'interno le specie prettamente arenicole tendono a scomparire, cedendo il posto a comunità differenziate e più strutturate grazie alla presenza di specie legnose arbustive (*Pistacia lentiscus*, *Artemisia arborescens*). Nel sito sono presenti anche lembi di vegetazione di cinta a *Phragmites australis* inquadrabili nei Phragmyti-Magnocaricetea.

4.2 Quality and importance

Il sito è una delle poche aree costiere sabbiose del versante jonico calabrese in cui si conserva ancora il complesso di vegetazione delle dune costiere, che seppur altamente degradato, conserva gran parte degli elementi caratterizzanti la serie psammofila tipica delle dune costiere. Il sito si estende, per circa 24 ha, lungo il versante ionico calabrese nell'area compresa tra la Fiumara Gallipari ed il Torrente Salubro. Il territorio è caratterizzato da una stretta piana costiera di origine alluvionale che, immediatamente ad est dell'abitato di Isca marina, passa ad una spiaggia sabbiosa e ciottolosa caratterizzata da un allineamento di dune parallele alla costa fissate da vegetazione psammofila. L'area dal punto di vista bioclimatico appartiene alla fascia termomediterranea della regione mediterranea, con regime oceanico stagionale. Si segnala la presenza di *Ephedra distachya*, specie considerata vulnerabile a livello nazionale e a basso rischio in Calabria. Il sito inoltre ospita alcune popolazioni di specie vegetali rare nel resto della regione e inserite nella Lista Rossa Regionale con diverso status di minaccia: *Pancratium maritimum* (EN), *Medicago marina* (LR). Dal punto di vista faunistico le spiagge del sito sono interessate, più o meno regolarmente, dalla nidificazione della tartaruga marina *Caretta caretta* (Mingozzi et al. 2007). L'adeguamento del perimetro del sito è stato effettuato per correggere la trasposizione erronea dei limiti e per adattarli ad una cartografia di maggiore dettaglio. Le modifiche effettuate al perimetro non hanno comportato sottrazione di habitat d'interesse comunitario né di siti idonei a specie d'interesse comunitario.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	A08		o
M	A01		o
H	G05.05		b
M	D03.01.02		o
M	G02		b
H	I01		b
H	G05.01		b
L	D01.04		o
M	H05.01		b
H	K01.01		b
H	E01.01		o
M	D01.02		o
M	J02.05		b
M	A06.02		o

Rank: H = high, M = medium, L = low  
Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions  
i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	100
Joint or Co-Ownership		0
Private		0
Unknown		0
sum		100

4.5 Documentation

Regione Calabria - Dipartimento Ambiente e Territorio. Revisione e aggiornamento dei formulari realizzati nell'ambito del progetto “Mappatura e censimento di habitat e specie” - Finanziato con fondi FESR - POR Calabria 2014-20120 - Azione 6.5.A.1 -AA.VV., 2007. Quadro Conoscitivo. Piano di gestione dei Siti Di Importanza Comunitaria (Sic), Nazionale (SIN) e Regionale (SIR) della rete “natura 2000” nella

Provincia di Catanzaro. Volume I. PROVINCIA DI CATANZARO.Mingozzi T, Masciari G, Paolillo G, Pisani B, Russo M, Massolo A., 2007. Discovery of a regular nesting area of loggerhead turtle Caretta caretta in Southern Italy: A new perspective for national conservation. Biodiversity and Conservation 16: 3519–3541.SIBM, 2009. CONVENZIONE MiATTM-SIBM “IMPLEMENTAZIONE DEI SIC MARINI ITALIANI” Relazione finale sull’ attività.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Ente per i Parchi Marini Regionali
Address:	Viale Europa Loc Germaneto - 88100, Catanzaro CZ (regione: Calabria)
Email:	parchimarinalabria@pec.it

6.2 Management Plan(s):

An actual management plan does exist:

☒ Yes

Name: Piano di Gestione dei Siti di Importanza Comunitaria (SIC), Nazionale (SIN) e Regionale (SIR) della Rete “Natura 2000” nella Provincia di Catanzaro. Provincia di Catanzaro.  
Link: <https://www.regione.calabria.it/website/organizzazione/dipartimento11/subsite/parebio/retnat2000/piagestsitinat2000/>

☐ No, but in preparation

☐ No

6.3 Conservation measures (optional)

Con DGR n.323 del 09-08-2016 sono state approvate le misure di conservazione habitat e sito specifiche

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

131 I° NO Carta Topo 1:25000 Gauss-Boaga