



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT9310061

SITENAME Laghicello

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	Back to top
B	IT9310061	

1.3 Site name

Laghicello

1.4 First Compilation date	1.5 Update date
1995-05	2022-12

1.6 Respondent:

Name/Organisation:	Regione Calabria - Dipartimento Ambiente e Territorio - Settore Parchi ed Aree Naturali Protette
Address:	Cittadella Regionale, Località Germaneto 88100 - Catanzaro
Email:	parchi.ambienteterritorio@regione.calabria.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2017-06
National legal reference of SAC designation:	DM 27/06/2017 - G.U. 166 del 18-07-2017

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude
16.085278

Latitude
39.425278

2.2 Area [ha]:

2.3 Marine area [%]

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITF6	Calabria

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150			0.32		G	B	C	B	B
6420			0.063		G	B	C	B	B
9210			1.2		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A226	Apus apus			r				P	DD	C	B	C	B
B	A363	Chloris chloris			p				P	DD	C	B	C	B
B	A208	Columba palumbus			p				P	DD	C	B	C	B
B	A483	Cyanistes caeruleus			p				P	DD	C	B	C	B
B	A237	Dendrocopos major			p				P	DD	C	B	C	B
B	A378	Emberiza cia			p				P	DD	C	B	C	B
B	A269	Erithacus rubecula			p				P	DD	C	B	C	B
B	A359	Fringilla coelebs			p				P	DD	C	B	C	B
B	A262	Motacilla alba			p				P	DD	C	B	C	B
B	A261	Motacilla cinerea			p				P	DD	C	B	C	B
B	A330	Parus major			p				P	DD	C	B	C	B
B	A473	Periparus ater			p				P	DD	C	B	C	B

B	A274	Phoenicurus phoenicurus			r				P	DD	C	B	C	B
B	A572	Phylloscopus collybita			r				P	DD	C	B	C	B
B	A866	Picus viridis			p				P	DD	C	B	C	B
B	A493	Poecile palustris			p				P	DD	C	B	C	B
A	1175	Salamandrina terdigitata			p				P	DD	C	A	B	A
B	A332	Sitta europaea			p				P	DD	C	B	C	B
B	A219	Strix aluco			p				P	DD	C	B	C	B
B	A311	Sylvia atricapilla			p				P	DD	C	B	C	B
A	1167	Triturus carnifex			p				P	DD	C	B	B	B
B	A265	Trogodytes troglodytes			p				P	DD	C	B	C	B
B	A283	Turdus merula			p				P	DD	C	B	C	B
B	A287	Turdus viscivorus			p				P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R		Anguis veronensis			0	0		R					X	
A	5358	Hyla intermedia						C	X			X	X	
A		Ichthyosaura alpestris inexpectatus						V				X	X	
A	6956	Lissotriton italicus						C	X			X	X	
P		Polygonatum odoratum (Mill.) Druce						P			X			
A	1209	Rana dalmatina						C	X			X	X	
A		Salamandra salamandra gigliolii			0	0		R				X	X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

Habitat class	% Cover
N10	4.0
N16	76.0
N07	20.0
Total Habitat Cover	100

Other Site Characteristics

In località Laghicello si trova una piccola depressione in cui si è impostato un piccolo stagno che è soggetto saltuariamente a disseccamento. Il laghetto viene alimentato dalle acque di precipitazione meteorica che si dipartono dalle creste (1227 m s.l.m.) e confluiscono nelle valli e nello stagno. Esso è caratterizzato da vegetazione igrofila a carici e giunchi. La vegetazione potenziale dell'area in cui si inserisce il sito è rappresentata da una faggeta macrotermia legata ad un bioclina supratemperato inferiore iperumido marcatamente oceanico. Il pantano, in via d'interramento, è circondato da vegetazione ripariale a megaforbie quali la tifa (*Typha latifolia*) e la cannuccia di palude (*Phragmites australis*) che costituisce un complesso mosaico di associazioni strettamente dipendenti dal gradiente idrico del suolo.

4.2 Quality and importance

Sito riproduttivo di *Triturus alpestris inexpectatus* e di *Triturus carnifex*. Il sito è di elevato valore faunistico per la presenza contemporanea delle tre specie di triturus note in Calabria. Particolarmente significativa è la presenza di *Triturus alpestris*, rappresentato in Calabria dalla sottospecie endemica *inexpectatus* (Dubois et Breuil), estremamente isolata dalle popolazioni geograficamente più vicine e localizzata nella zona della catena costiera in soli 5 siti. Si tratta chiaramente di popolazioni relitte. Nel sito è inoltre segnalata la salamandrina dagli occhiali (*Salamandrina terdigitata* Lacépède, 1788). Endemica dell'Italia appenninica è legata ad ambienti con alto e costante tasso di umidità dell'aria come i boschi con abbondante lettiera e i valloni umidi.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	G02.06		o
H	J02.05		i
L	D01.02		o
L	H05.01		o
M	A04.01		b
L	K01.02		i
H	K02.03		i
L	D01.01		o
M	B02		b

Rank: H = high, M = medium, L = low
Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions
i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	100
Joint or Co-Ownership		0
Private		0
Unknown		0
sum		100

4.5 Documentation

Regione Calabria - Dipartimento Ambiente e Territorio. Revisione e aggiornamento dei formulari realizzati nell'ambito del progetto “Mappatura e censimento di habitat e specie” - Finanziato con fondi FESR - POR Calabria 2014-20120 - Azione 6.5.A.1 - - Dati sulla distribuzione dell'erpetofauna calabrese del gruppo di ricerca dell'Università della Calabria - Banca dati Erpetologica DiBEST. - COMUNITÀ

MONTANA MEDIA VALLE DEL CRATI - Università di Torino – Università della Calabria – Gruppo Triturus: Il Parco Naturale per l’equilibrio ambientale: il Tritone ed il suo habitat. Atti del Convegno internazionale, S. Benedetto Ullano 1988. SPERONE E., BONACCI A., BRUNELLI E., CORAPI B., TRIPEPI S., 2007- Ecologia e conservazione dell’erpetofauna della Catena Costiera calabra. Studi Trent. Sci. Nat., Acta Biol., 83: 99-104.Piano di Gestione dei Siti di Importanza Comunitaria (SIC), Nazionale (SIN) e Regionale (SIR) della Rete “Natura 2000” nella Provincia di Cosenza – Relazioni e allegati cartografici. Provincia di Cosenza.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Dipartimento Ambiente e Territorio - Regione Calabria
Address:	Cittadella Regionale, Località Germaneto 88100 - Catanzaro
Email:	pec: parchi.ambienteterritorio@regione.calabria.it

6.2 Management Plan(s):

An actual management plan does exist:

☒ Yes

Name: Piano di Gestione dei Siti di Importanza Comunitaria (SIC), Nazionale (SIN) e Regionale (SIR) della Rete “Natura 2000” nella Provincia di Cosenza – Relazioni e allegati cartografici. Provincia di Cosenza.
Link: <https://www.regione.calabria.it/website/organizzazione/dipartimento11/subsite/parebio/retnat2000/piagestsitinat2000/>

☐ No, but in preparation

☐ No

6.3 Conservation measures (optional)

Con DGR n. 277 del 19-07-2016 sono state approvate le misure di conservazione habitat e sito specifiche

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes

☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

265SO 265SE 265NO 1:25.000 UTM